

Oracle

1Z0-241 Exam

PeopleSoft Application Developer I: PeopleTools & PeopleCode

Thank you for Downloading 1Z0-241 exam PDF Demo

You can Buy Latest 1Z0-241 Full Version Download

https://www.certkillers.net/Exam/1Z0-241

Ougetions	1
Question:	Τ.

You write a PeopleCode program that checks whether the user is selecting an existing search key value on the Search page or creating a new search key value. Which system variable do you use?

- A. %Add
- B. &Add
- C. %Mode
- D. & Mode
- E. %Search
- F. &Search

Answer: C

Question: 2

Which three statements are true regarding Query Profile? (Choose three.)

- A. The Query Profiles page enables users to run existing queries and create new ones.
- B. The Query Profiles page enables you to specify the type of access that users have when they work with PeopleSoft Query.
- C. By default, the query profile does not give users access to all PeopleSoft Query features, even if you gave them access to PeopleSoft Query.
- D. If a user has more than one permission list, PeopleSoft Query uses the highest time-out value as defined in the Time-out Minutes section of the user's permission lists.
- E. The Query Profiles page enables you to restrict the types of queries that users can create, limit the number of rows returned, or set the time that a query can run before it times out.
- F. By default, the Only Allowed to Run Queries option on the Query Profiles page is selected, and each permission list that is granted to a user or role has the possibility to have capabilities added.

Answer: B, D, E

Question: 3

Examine this PeopleCode snippet: class OCP_ROWSET extends Rowset; property integer FilledRowCount get; method OCP_ROWSET(&strRecName As string, &strDataFld As string, &strGetOrCreate As string); methodInsertRow(&iRow As integer) Returns boolean; Select the correct statements. (Choose all that apply.)

- A. OCP_ROWSET is the constructor method for the OCP_ROWSET class.
- B. Executing the RO_ROWSET method instantiates an object of the OCP_ROWSET class.
- C. The OCP_ROWSET method runs automatically whenever an object is instantiated using the


OCP ROWSET class.

- D. The OCP_ROWSET method must initialize the ROWSET class.
- E. The OCP_ROWSET method is added to the ROWSET class, and, by extension, to any instances of the ROWSET class.

Answer: A, C, D

Question: 4

View the Exhibit.



You are testing an application that you just completed. You access the content reference and select a search key. When you click the Search button, you see the error shown in the image. Select the next course of action.

- A. Remove the PS TS EMP REVIEW field from the record definition.
- B. Run the Alter process for the PS_TS_EMP_REVIEW record definition.
- C. Run the Build process for the PS TS EMP REVIEW record definition.
- D. Examine the record definition properties and manually create a BUILD script.
- E. Verify that you created and properly configured the PS_TS_EMP_REVIEW page.

Answer: C

Question: 5

Are parameters passed to user-defined internal and external PeopleCode functions by reference or by value?

- A. The first parameter is the input parameter, and the second parameter is output parameter.
- B. User-defined internal and external PeopleCode function parameters are always passed by value.
- C. User-defined internal and external PeopleCode function parameters are always passed by reference.
- D. User-defined internal and external PeopleCode function parameters can be passed as input or as output, depending on the function.
- E. User-defined internal and external PeopleCode function parameters can be passed by reference or by value, depending on the function.

Answer: C

Question: 6

Select the two rules about PeopleSoft prompt table mechanics. (Choose	e two.
---	--------

- A. The prompt matches fields based on name, data type, and length.
- B. The prompt automatically filters the rows based on higher-level key values in the buffer.
- C. The prompt selects the highest-level key on the prompt record definition unless the EFFDT field is present.
- D. The prompt automatically selects for the lowest-level key on the prompt record definition ignoring the EFFDT and EFF_STATUS fields.

	Answer: B, D
Question: 7	
Select the two characteristics of summary p	ges that set them apart from non-summary pages.

A. They are display-only.

(Choose two.)

- B. They contain only level zero.
- C. They typically contain no related fields.
- D. They reference one record definition.

Answer: A, C

Question: 8

Here is a partial list of events in the Component Processor flow.

- 1. SQL select
- 2. Search page
- 3. Record defaults
- 4. Add row to buffer
- 5. Standard system field edits
- 6. Wait for user interaction

What is the correct order?

- A. 1, 2, 3, 4, 5, 6
- B. 2, 1, 4, 3, 6, 5
- C. 6, 2, 1, 4, 3, 5
- D. 2, 1, 3, 4, 5, 6
- E. 2, 4, 5, 1, 3, 6

Answer: B

Question: 9


Select the three primary advantages of using the Message Catalog. (Choose three.)

- A. Messages are reusable.
- B. You can enter messages through a browser.
- C. Developers can secure messages through Definition Security.
- D. Developers can search for and use messages in Application Designer.
- E. Messages in the catalog are easier to translate in globalization situations.

Answer: A, B, E

Question: 10

View the Exhibits.



Examine the two pages and select the correct statement.

- A. You can group these pages in the same component.
- B. You cannot group these pages in the same component.

Answer: A

Question: 11

Select the four items that you can use as translate values for the COLOR field. (Choose four.)

- A. BLK
- B. W-02
- C. BRWN
- D. PURPL
- E. BLACK
- F. 1-BL

Answer: A, B, C, F

Question: 12

View the Exhibit.

1	If All(PSU_CRS_SESSN.START_DATE,		
	PSU_CRS_SESSN.END_DATE) And PSU_CRS_SESSN.START_DATE > PSU_CRS_SESSN.END_DATE		
	Then Error MsaGet(1040, 2 "Message Not Found") End-If;		
2	If PSU_EMP_KVW_KVK.KEVIEW_IIEE = E INEN COMMENT Reviewer is an employee; COMMENT Disable REVIEWER ID; PSU_EMP_RVW_RVR.REVIEWER_ID.Value = PSU_EMP_RVW_RVR.EMPLID; PSU_EMP_RVW_RVR.REVIEWER_ID.Enabled = False; End-If;		
3	Local Message &request, &response Local Row &Row Local Rowset &Rowset		
4	Local Field &CrsType &CrsType = GetField(PSU_COURSE_TBL.COURSE_TYPE); &CrsType.Value = "H"; &CrsType.Enabled = False;		
5	&OLD_PRICE > &TOTAL_PRICE; &TOTAL_PRICE = &QTY_ORDERED * &PRICE &GRAND_TOTAL = &GRAND_TOTAL + &TOTAL_PRICE - &OLD_PRICE;		

Which two PeopleCode snippets contain syntax errors? (Choose two.)

- A. 1
- B. 2
- C. 3
- D. 4
- E. 5

Question: 13

View the Exhibit.

Portal Name:	EMPLOYEE	Select	Open Selected		
Folder Name:	PSU EMPLITHE	Select	Open Selected		
Content Reference Name:	TS_EMP_REVIEW_GBL				
Content Reference Label:	Appraisals				
Long Description (254 Character)	Enter, modify, and view employee reviews				
Sequence Number:	5 Product: PT				
Template Name:	DEFAULT_TEMPLATE •				
Object Owner Id:	<u> </u>				
Node Name:	PSFT_TRN	Select	Open Selected		
	Always use default local node?				
	Enter the base URI to be used when you click the "Open Selected" buttons: Example: http://localhost/psp/ps/				
"Open" URI Base:	http://eddpr40p1.us.oracle.com:8010/psp/T1B	9/19017			

You begin to register a component using the registration wizard. Based on the values that appear in the dialog box, select the best course of action.

- A. Continue registering the component as it is.
- B. Stop the registration process to investigate why this component is already registered.
- C. Change the user-facing fields to mixed case and make them less technical and then continue registering the component.

Answer: B

Question: 14

Select the three tasks that you can perform using the Registration Wizard. (Choose three.)


- A. Add pages to existing components.
- B. Add components to existing menus.
- C. Add components to a portal registry.
- D. Add components to a permission list.

E. Create new menus and add components to the new menus.

Answer: B, C, D

Question: 15

View the Exhibit.



Based on this Build dialog box, select the two options that are true. (Choose two.)

- A. When you click the Build button, the TS_EMP tables are created.
- B. When you click the Build button, nothing happens to your database.
- C. When you click the Build button, the TS_EMP tables may lose existing data.
- D. When you click the Build button, the TS_INSTSCHD_VW view is created.
- E. When you click the Build button, Application Designer generates a script file.

Answer: B, E

Thank You for trying 1Z0-241 PDF Demo

To Buy Latest 1Z0-241 Full Version Download visit link below

https://www.certkillers.net/Exam/1Z0-241

Start Your 1Z0-241 Preparation

[Limited Time Offer] Use Coupon "CKNET" for Further discount on your purchase. Test your 1Z0-241 preparation with actual exam questions.